

コロラド州：小麦作柄と気象状況

2011 年 5 月 1 日現在

概況 コロラド州の 5 月 1 日に終わる 1 週間の気象は、平年より低い気温となり全州にて降雨があった。降雨は各地にて記録されたが、降水量は平年以下であった。山岳部の全州平均積雪量は前週より増え平年の 134% であった。南部地区の山岳部の積雪量は前週より多少増えたが平年の 88% と報告された。1 週間の州平均農作業稼働日数は 4.4 日（前週：5.0 日）であった。圃場の Topsoil の土壌水分は多少前週より改善したが、“Very short” 及び “Short” の合計が Topsoil では 59%、Subsoil では 66% であり、土壌水分は昨年と比較し非常に乾燥した状態が続いた。2011 年産冬小麦は全州の 50% にて節間成長期となった、平年より遅れていた。冬小麦作柄は降雨のお陰で多少前週より改善したが、昨年同期の作柄よりかなり低い評価であった。

2011 年 5 月 1 日現在：土壌水分(*)

(%)		Very Short	Short	Adequate	Surplus
Topsoil	This week	29	30	37	4
	Last week	28	38	31	3
	Last year	1	5	87	7
Subsoil	This week	30	36	31	3
	Last week	29	36	32	3
	Last year	1	6	88	5

2011 年 5 月 1 日現在：冬小麦生育状況(*)

(%)	This Week	Last Week	Last Year	5-Yr Avg.
Pastured	3	5	5	4
Jointed	50	28	52	58

2011 年 5 月 1 日現在：冬小麦の作柄状況(*)

(%)	Very Poor	Poor	Fair	Good	Excellent
This week	18	28	43	19	1
Last week	19	30	33	17	10
Last year	0	2	13	58	27

(*) Source : National Agricultural Statistics Service, USDA-Colorado Field Office. 5-yr avg. means average of 2006,2007,2008,2009 and 2010.

以上