

モンタナ州：小麦作柄と気象状況

2009 年 5 月 31 日現在

概況 モンタナ州の 2009 年 5 月 31 日に終る 1 週間は、前週より気温が上がり高温・少雨の気象であった。NC 及び NE 地区の最高気温は 84～91 度 F、Cent 地区の最高気温は 81～89 度 F となった。1 週間の降水量は NC 地区にて 0.01～0.33 インチ、NE 地区では 0.22～1.10 インチ、Cent 地区では 0.00～0.15 インチであった。1 週間の州平均農作業稼働日数は 6.6 日（前週：6.1 日）となった。昨年同期の稼働日数は 3.4 日であった。Topsoil 及び Subsoil の土壌水分は前週より減少し、“Short”が増加し、昨年及び 5 年平均より低くなった。Subsoil の土壌水分は昨年より良好であった。冬小麦の生育は 5 年平均より遅れていたが、15%が穂孕み期に入りった。これは昨年より多少早い進展であった。春小麦は例年より多少遅れているが全州の 96%にて播種が完了し、播種圃場の 79%にて出芽した。冬小麦の作柄は前週から変化は殆ど無く、昨年より良い状態が続いた。春小麦の作柄も昨年より良い状態でと報告された。

土壌水分(*)

(%)		Very short	Short	Adequate	Surplus
Topsoil	This week	3	29	65	3
	Last week	2	15	77	62
	Last Year	6	13	70	11
	5-yr Ave.	5	20	67	8
Subsoil	This week	3	24	69	4
	Last week	5	21	71	3
	Last Year	18	27	52	3
	5-yr Ave.	17	31	49	3

冬小麦の生育状況(*)

(%)	This week	Last week	Last year	5-Yr Ave.
Boot	15	13	13	42
Headed	0	0	0	3

冬小麦の作柄状況(*)

(%)	This week	Last week	Last year	5 yr Avg.
Very poor	3	3	4	4
Poor	6	7	18	12
Fair	31	34	40	37
Good	50	50	31	34
Excellent	10	6	7	13

春小麦の生育状況(*)

(%)	This week	Last week	Last year	5-yr Avg.
Planted	96	90	99	98
Emerged	79	62	86	87

(*)Source: National Agricultural Statistics Service, Montana Field Office. 5-yr average means average of 2004, 2005, 2006, 2007 & 2008 Crop years.