

モンタナ州：小麦作柄と気象状況

2011 年 7 月 24 日現在

概況 モンタナ州の 2011 年 7 月 24 日に終わる 1 週間の気象は、少雨の高温気象となった。各地の最高気温は 94～101 度 F となり、その中で比較的気温が他地区より低目であったのが SW 地区で最高気温は 89～93 度 F であった。1 週間の降水量は NC 地区にて 0.03～0.70 であった。NE 地区の降水量は 0.12～1.05 インチで他の地区に比較し最も多い降水量を記録した。他の地区では 0.00～0.36 インチであった。1 週間の州平均稼働日数は 6.4 日（前週：6.4 日）であった。Topsoil 及び Subsoil の土壌水分は更に乾燥が進んだが、5 年平均より良い状況であった。冬小麦の生殖成長は高温により急速に進み、全州の圃場にて出穂し、73%（昨年：81%、5 年平均：91%）が登熟期となった。冬小麦の作柄は好天が続き更に改善し、昨年より未だ低いと 5 年平均より高い作柄評価であった。春小麦の生育も早まっており、72%（昨年：77%、5 年平均：90%）出穂した。春小麦の作柄は前週より改善し、5 年平均より良い評価であった。

2011 年 7 月 24 日現在：土壌水分(*)

(%)		Very short	Short	Adequate	Surplus
Topsoil	This week	3	39	52	6
	Last week	3	29	61	7
	Last Year	0	22	74	4
	5-yr Ave.	22	40	36	2
Subsoil	This week	1	17	74	8
	Last week	1	14	75	10
	Last Year	1	19	77	3
	5-yr Ave.	19	39	41	1

2011 年 7 月 24 日現在：冬小麦の生育状況(*)

(%)	This week	Last week	Last year	5 yr average
Headed	100	93	100	100
Turning color	73	39	81	91
Harvested	-	-	-	17

2011 年 7 月 24 日現在：冬小麦の作柄状況(*)

(%)	This week	Last week	Last year	5 yr Avg.
Very poor	2	1	0	2
Poor	6	6	1	6
Fair	19	25	15	29
Good	61	53	62	47
Excellent	12	15	22	16

2011 年 7 月 24 日現在：春小麦の生育状況(*)

(%)	This week	Last week	Last year	5 yr average
Boot stage	92	72	96	98
Headed	72	44	77	90

ご質問又はご意見は、OMIC USA Inc.小川正晃 ogawa.max@omicnet.com までお願い致します。

© Copyright 2009 OMIC USA Inc. All rights reserved.

2011 年 7 月 24 日現在：春小麦の作柄状況(*)

(%)	This week	Last week	Last year	5 yr Avg.
Very poor	2	2	0	6
Poor	7	6	1	10
Fair	30	32	18	29
Good	54	51	62	48
Excellent	7	9	19	7

(*)Source: National Agricultural Statistics Service, Montana Field Office.5-yr average means average of 2006,2007,2008,2009 & 2010 Crop years.

以上