

ネブラスカ州：小麦作柄と気象状況

2010 年 5 月 23 日現在

概況 ネブラスカ州の 2010 年 5 月 23 日に終る 1 週間の気象は、全州にて降雨を伴い低目の気温で始まり週の終わりに掛け気温は上昇したが、夜間の気温は平年以下の気象であった。NW 地区 (Panhandle) の最高気温は 86～89 度 F となったが、最低気温は 39～41 度 F であり、平均気温は平年並みか平年を 2～3 度 F 下回った。NC 地区では最高気温は 88～92 度まで上がり平均気温はほぼ平年並みとなった。SW 地区の平均気温は平年を 2～3 度 F 下回った。1 週間の降水量は Panhandle では 0.75～1.33 インチ、SW 地区では 0.53～1.63 インチ、NE 地区では少なく 0.00～0.15 インチであった。1 週間の州平均農作業稼働日数は 3.7 日 (前週：2.9 日) であった。Topsoil の土壌水分は NE 地区で “Short” が増え、他の地区では “Surplus” が増えた。“Adequate” と “Surplus” の合計が 97% であり、昨年並びに 5 年平均より良い状態であった。Subsoil の土壌水分は前週から変化がなく、昨年並びに 5 年平均より良い状態を保った。冬小麦の生育は日中の気温は上昇したが、未だ昨年並びに平年より遅れおり、78% (昨年：98%、5 年平均：96%) が節間成長期に有り、6% が出穂 (昨年：26%、5 年平均：31%) した。冬小麦の作柄は気温の上昇で改善し、“Poor” が多少減少し、“Excellent” が増えた。

2010 年 4 月 1 日～5 月 23 日迄の積算降水量 (*)

(Inch)	NW	NC	NE	CEN	EC	SW	SC	SE
Week total	0.67	0.25	0.05	0.93	0.81	1.05	1.53	1.39
Total since 4/1	5.56	3.87	3.66	4.28	5.32	4.72	7.03	6.49
Normal since 4/1	3.97	4.42	5.45	5.16	5.72	4.35	4.87	5.77
Total % of normal	141%	87%	67%	82%	92%	108%	145%	112%

土壌水分 (*)

	(%)	Very Short	Short	Adequate	Surplus
Topsoil	This week	0	3	87	10
	Last week	0	2	90	8
	Last year	2	27	65	7
	5-Yr Avg.	6	20	67	6
Subsoil	This week	0	3	90	7
	Last week	0	3	90	7
	Last year	3	15	79	2
	5-Yr Avg.	9	21	68	3

冬小麦の生育状況 (*)

(%)	This week	Last week	Last year	5-yr Ave.
Jointed	78	60	98	96
Headed	6	1	26	31

冬小麦の作柄状況 (*)

(%)	Very poor	Poor	Fair	Good	Excellent
This week	0	2	23	66	9
Last week	0	4	23	66	7

(*) Source: Nebraska Agricultural Statistic Service, USDA-Nebraska Field Office. 5-yr average: average of past 5 years 2005,2006,2007,2008 and 2009 Crop year.

以上