

カリフォルニア州： 気象と状況と米の作柄概況

2005 年 7 月 19 日

2005 年 7 月 17 日現在：

太平洋岸の高気圧が張り出し、週の初めは平年並みであった気温は序々上昇し、カリフォルニア北部を始め州全域に高温をもたらした。サクラメントの気象は高温・乾燥気象であった。最高気温葉 105～111 (Redding) 度 F となり、平均気温は平年を 7～8 度 F 上回った。サクラメント盆地では降雨は全く記録されなかった。

稲の生育は順調であり、水田では雑草駆除の農薬散布が主たる作業であった。稲は出穂を開始し、全州の 3%が出穂したと報告された。昨年同期では 22%が出穂しており、平年では 7%であり播種の遅れが生育の遅れとなっている。作柄評価は前週より改善した。

米の生育状況：7 月 17 日現在

	This Week	Last week	Last Year	5-Yr Ave.
Headed (%)	3	2	22	7

米の作柄状況：7 月 17 日現在

	Very Poor	Poor	Fair	Good	Excellent
This Week (%)	0	0	63	37	0
Last Week (%)	0	0	73	27	0

2005 年産カリフォルニア米の作付面積は、各銘柄で 2004 年産に比較し減少する予想であり、USDA の 3 月 31 日発表の内容は、下表の通りであった。

農務省 2005 年 3 月 31 日発表カリフォルニア州産米の作付面積予想：

Crop Class	Area Planted 1,000 acres				Harvested Area	
	2003	2004	2005	2005/2004	2003	2004
Long	7.0	7.0	6.0	86%	7.0	7.0
Medium	460.0	540.0	510.0	94%	458.0	545.0
Short	42.0	48.0	44.0	92%	42.0	48.0
CA Total	509.0	595.0	560.0	94%	507.0	600.0
US Total	3,022.0	3,347.0	3,358.0	100%	2,990.0	3,334.0

Sweet rice acreage included with short grain in 2003 and 2004, but not previous year.

農務省 2004 年 10 月 1 日発表単位収量及び生産量予想：

Crop & Class	Yield pounds/acre				Production 1,000 CWT		
	2002	2003	2004		2002	2003	2004
			Sept 1	Oct 1			
Long	6,400	6,900	NA	NA	86,162	85,140	NA
Medium	8,300	7,750	NA	NA	41,085	35,495	NA
Short	5,600	6,300	NA	NA	1,456	2,646	NA

CAL	8,140	7,620	7,900	8,100	42,989	38,624	48,600
USA	6,578	6,645	6,651	6,736	210,960	199,157	225,488

Sweet rice production included with short grain in 2003 and 2004, but not previous year. Indicated September 1, 2004 rice class estimates are based on 5-year average of class percentages.

当該作柄レポートへのご質問又はご意見は下記にお願い致します。

OMIC USA Inc., Portland Oregon

小川正晃 Email : ogawa.max@omicnet.com