

カリフォルニア州： 気象と状況と米の作柄概況

2005 年 7 月 26 日

2005 年 7 月 24 日現在：

先週から引き続き熱波がカリフォルニア全州を覆った。強力な高気圧の影響により、サクラメント盆地の全域で最高気温は 104～112 度 F (Redding) となった。平均気温は平年を 3～6 度 F 上回った。サクラメント盆地では降雨は全く記録されなかった。

高温により稲の生育は促進され順調であるが、生育は例年より遅れていた。水田では雑草駆除の農薬散布が主たる作業であった。

稲は全州の 4% が出穂したが、昨年同期では 25% であった。5 年平均 11% よりも遅れていた。作柄評価は前週より “Good” が 10 ポイント落ち 27% となった。

米の生育状況：7 月 24 日現在

	This Week	Last week	Last Year	5-Yr Ave.
Headed (%)	4	3	25	11

米の作柄状況：7 月 24 日現在

	Very Poor	Poor	Fair	Good	Excellent
This Week (%)	0	0	73	27	0
Last Week (%)	0	0	63	37	0

2005 年産カリフォルニア米の作付面積は、各銘柄で 2004 年産に比較し減少する予想であり、USDA の 3 月 31 日発表の内容は、下表の通りであった。

農務省 2005 年 3 月 31 日発表カリフォルニア州産米の作付面積予想：

Crop Class	Area Planted 1,000 acres				Harvested Area	
	2003	2004	2005	2005/2004	2003	2004
Long	7.0	7.0	6.0	86%	7.0	7.0
Medium	460.0	540.0	510.0	94%	458.0	545.0
Short	42.0	48.0	44.0	92%	42.0	48.0
CA Total	509.0	595.0	560.0	94%	507.0	600.0
US Total	3,022.0	3,347.0	3,358.0	100%	2,990.0	3,334.0

Sweet rice acreage included with short grain in 2003 and 2004, but not previous year.

農務省 2004 年 10 月 1 日発表単位収量及び生産量予想：

Crop & Class	Yield pounds/acre				Production 1,000 CWT		
	2002	2003	2004		2002	2003	2004
			Sept 1	Oct 1			
Long	6,400	6,900	NA	NA	86,162	85,140	NA
Medium	8,300	7,750	NA	NA	41,085	35,495	NA
Short	5,600	6,300	NA	NA	1,456	2,646	NA
CAL	8,140	7,620	7,900	8,100	42,989	38,624	48,600

USA	6,578	6,645	6,651	6,736	210,960	199,157	225,488
-----	-------	-------	-------	-------	---------	---------	---------

Sweet rice production included with short grain in 2003 and 2004, but not previous year. Indicated September 1, 2004 rice class estimates are based on 5-year average of class percentages.

当該作柄レポートへのご質問又はご意見は下記にお願い致します。

OMIC USA Inc., Portland Oregon

小川正晃 Email : ogawa.max@omicnet.com